

Lift system | standard



REAC Lift system with an impressive lifting performance of 200kg up to 300mm, still maintaining an 78mm overall build-in height. It fulfills regulatory requirements. Long life cycle due to thorough testing to ensure good quality. It has ideal specifications for electrical wheelchairs as well as other suitable applications.

We offer to customize to match your needs, please contact our sales department in case of any questions.

Standard features

Load capacity	200kg
Min install height	78mm
Lifting height	300mm
Weight	16kg
Feedback & switches	Limit switch in actuator Inhibit switch, min and max linear position
Motor	24VDC

Top and bottom frame

Customized


Feedback and switches	Positioning feedback analogue
-----------------------	----------------------------------



Lift system

Dimensions

Lift system standard



© REAC, August 2023, Issue 5.1

REAC is continuously developing our products and can make changes without prior notice. Therefore we can't guarantee that the information stated on our webpage or in our written material always is up to date, nor can we take responsibility for any misinterpretation of our written context. Technical specification might change due to load and external circumstances. REAC products shall be tested in its intended application before use.

REAC AB
J A Wettergrens gata 7
421 30 Västra Frölunda, Sweden

REAC Poland Sp. z o.o
Ul.Metalowców 10
97-300 Piotrków Trybunalski, Poland

www.reac-group.com
E-mail: info@reac-group.com
Phone: +46 31 350 99 00